



SIGN HANGING SYSTEMS


SIGN HANGING SYSTEMS

As a product specialist in the field of hanging concepts, Artiteq has been developing flexible hanging systems for paintings, presentation materials and signage within a building from Tilburg (NL) since 1995.

In addition to our core range of picture hanging systems, Artiteq offers a diverse range within Signing. For safe and correct hanging of panels, signing and signage within a building. In schools, hospitals and (larger) office buildings, for example, it is important that classrooms, escape routes, toilets and floors are properly indicated. As a hanging specialist, Artiteq offers several signing products to hang the signage in a simple and appropriate way.

In this brochure we explain the products and show the product range. The choice for which system depends on the situation, where it will be hung and what kind of ceiling or wall it is.





COMBINATION SHOWN:

A2 + B2+ C3

POSSIBLE COMBINATIONS:

A1 /A2/A3 + B1/B2/B3/B4 + C1/C2/C3/C4/C5/C6/C7

CEILING MOUNT

CEILING

A

A1			A2			A3
CEILING BRACKET BLACK CD1BL	PLUG (Ø 5 mm)	SCREW	CEILING BRACKET NICKEL CD1NI	PLUG (Ø 5 mm)	SCREW	CEILING SUSPENSION AUTO GRIP 1.2 mm CSØ1NI
7807.100	9.4931	9.4929	7807.110	9.4931	9.4929	7807.140

B


B1	B2	B3		B4	
STEELWIRE + SLIDER 1.2 mm 200 cm BLACK	STEELWIRE + SLIDER 1.2 mm 200 cm NICKEL	STEELWIRE 7 X 7 1.2 mm 10 M	CABLE CUTTER	STEELWIRE BLACK 7 X 7 1.2 mm 10 M	CABLE CUTTER
7807.200	7807.210	7807.350	7807.900	7807.360	7807.900

C

C1	C2	C3	C4	C5	C6	C7
STEELWIRE HOOK AUTO GRIP 1.2 mm STØ1BL	STEELWIRE HOOK AUTO GRIP 1.2 mm STØ1NI	STEELWIRE HOOK AUTO GRIP 1.2 mm STØ2NI	STEELWIRE HOOK AUTO GRIP 1.2 mm STØ3NI	STEELWIRE CLAMPHOOK AUTO GRIP 1.2 mm STCØ1NI	STEELWIRE HOOK AUTO GRIP 1.2 mm STDØ1NI NICKEL	STEELWIRE HOOK AUTO GRIP 1.2 mm STDØ1BL BLACK
7807.010	7807.020	7807.030	7807.040	7807.050	7807.080	7807.070

D

COMPLETE SETS
SET CEILING 2x STEELWIRE 1.2 mm 300 cm + 2x CEILING BRACKET NICKEL + 2x STEELWIRE HOOK
7807.520



SHOWN COMBINATION:
A2 + B2 + C1

POSSIBLE COMBINATIONS:
A1/A2 + B1/B2 + C1/C2/
C3/C4/C5/C6/C7

CEILING MOUNT CEILING SLANTED WALLS

A


A1	A2
	
CEILING BRACKET AUTO GRIP SILVER	CEILING BRACKET AUTO GRIP BLACK
7807.160	7807.150

B

B1		B2	
			
STEELWIRE 7 x 7 1,2 mm 10 m	CABLE CUTTER	STEELWIRE BLACK 7 x 7 1,2 mm 3 m	CABLE CUTTER
7807.350	7807.900	7807.360	7807.900

C

C1	C2	C3	C4	C5	C6	C7
						
STEELWIRE HOOK AUTO GRIP 1,2 mm STD1BL	STEELWIRE HOOK AUTO GRIP 1,2 mm STD1NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STD2NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STD3NI	STEELWIRE CLAMPHOOK AUTO GRIP 1,2 mm STD01NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STD01NI NICKEL	STEELWIRE HOOK AUTO GRIP 1,2 mm STD01BL BLACK
7807.010	7807.020	7807.030	7807.040	7807.050	7807.080	7807.070



SHOWN COMBINATION:

A2 + B2 + C4 + D

POSSIBLE COMBINATIONS:

A1/A2/A3 + B1/B2/B3/B4 + C1/C2/C3/C4 + D

A3 + B3/B4 + C1/C2/C3/C4 + D

CEILING MOUNT

CEILING ACOUSTIC

A

A1			A2			A3
						
CEILING BRACKET BLACK CO1BL	PLUG (0.5 mm)	SCREW	CEILING BRACKET NICKEL CO1NI	PLUG (0.5 mm)	SCREW	CEILING SUSPENSION AUTO GRIP 1.2 mm CS01NI
7807.100	9.4931	9.4929	7807.110	9.4931	9.4929	7807.140

B

B1	B2	B3		B4	
					
STEELWIRE + SLIDER 1.2 mm 200 cm BLACK	STEELWIRE + SLIDER 1.2 mm 200 cm NICKEL	STEELWIRE 7 x 7 1.2 mm 10 m	CABLE CUTTER	STEELWIRE BLACK 7 x 7 1.2 mm 3 m	CABLE CUTTER
7807.200	7807.210	7807.350	7807.900	7807.360	7807.900


C

C1	C2	C3	C4
			
STEELWIRE HOOK AUTO GRIP 1.2 mm ST01BL	STEELWIRE HOOK AUTO GRIP 1.2 mm ST01NI	STEELWIRE HOOK AUTO GRIP 1.2 mm ST02NI	STEELWIRE HOOK AUTO GRIP 1.2 mm ST03NI
7807.010	7807.020	7807.030	7807.040

D

D

ACOUSTIC SPRING 01-NI
7807.400



SHOWN COMBINATION:
A1 + B1 + C3

POSSIBLE COMBINATIONS:
A1 + B1 + C1/C2/C3/C4/
C5/C6/C7

RECESSED CEILING MOUNT RECESSED CEILING

A

A1	A2
	
RECESSED CEILING CLIP 20 mm	RECESSED CEILING CLIP 20 mm + SUSPENSION AUTO GRIP 1,2 mm
7807.120	7807.130

B

B1	B2	B3
		
STEELWIRE + HOOK 1,2 mm 300 cm	STEELWIRE 7 x 7 1,2 mm 10 M	CABLE CUTTER
7807.310	7807.350	7807.900

	
STEELWIRE BLACK 7 x 7 1,2 mm 2 M	CABLE CUTTER
7807.360	7807.900


C

C1	C2	C3	C4	C5	C6	C7
						
STEELWIRE HOOK AUTO GRIP 1,2 mm STD1BL	STEELWIRE HOOK AUTO GRIP 1,2 mm STD1NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STD2NI	STEELWIRE HOOK AUTO GRIP 1,2 mm STD3NI	STEELWIRE CLAMPHOOK AUTO GRIP 1,2 mm STC01NI	STEELWIRE HOOK AUTO GRIP 1,2mm STD01NI NICKEL	STEELWIRE HOOK AUTO GRIP 1,2mm STD01BL BLACK
7807.010	7807.020	7807.030	7807.040	7807.050	7807.080	7807.070

D

COMPLETE SETS

SET RECESSED CEILING 2x STEELWIRE 1,2 mm 300 cm + 2x RECESSED CEILING CLIP + 2x STEELWIRE HOOK
7807.510




SHOWN COMBINATION:
A1 + B1 + C + D1 + E3

POSSIBLE COMBINATIONS:
A1 + B1/B2 + C + D1/D2 + E1/E2/E3/E4/E5
A1 + B1/B2 + C + D3
A2 + B1/B2 + C + D1/D2 + E1/E2/E3/E4/E5
A2 + B1/B2 + C + D3
A3 + B3 + C + D1/D2 + E1/E2/E3/E4/E5
A3 + B3 + C + D3

CEILING MOUNT XPO RAIL LOW HANGING

A	A1			A2			A3			
										
	CEILING BRACKET BLACK CD1BL	PLUG (0.5 mm)	SCREW	CEILING BRACKET NICKEL CD1NI	PLUG (0.5 mm)	SCREW	CEILING SUSPENSION AUTO GRIP 1.2 mm CS01NI			
	7807.100	9.4931	9.4929	7807.110	9.4931	9.4929	7807.140			
B	B1		B2		B3		B4			
										
	STEELWIRE + SLIDER 1.2 mm 200 cm BLACK		STEELWIRE + SLIDER 1.2 mm 200 cm NICKEL		STEELWIRE 7 X 7 1.2 mm 10 M	CABLE CUTTER	STEELWIRE BLACK 7 x 7 1.2 mm 3 m	CABLE CUTTER		
	7807.200		7807.210		7807.350	7807.900	7807.360	7807.900		
C	C									
										
	SUSPENSION BRACKET XPO RAIL 1.2 mm		XPO RAIL 200 cm BLACK		END CAP XPO RAIL BLACK					
	7807.060		05.15201		05.15030					
D	D1		D2		D3					
										
	STEELWIRE + SLIDER 1.2 mm 200 cm BLACK		STEELWIRE + SLIDER 1.2 mm 200 cm NICKEL		TWISTER HOOK					
	7807.200		7807.210		9.4510					
E	E1	E2	E3	E4	E5	E6	E7			
										
	STEELWIRE HOOK AUTO GRIP 1.2 mm ST01BL	STEELWIRE HOOK AUTO GRIP 1.2 mm ST01NI	STEELWIRE HOOK AUTO GRIP 1.2 mm ST02NI	STEELWIRE HOOK AUTO GRIP 1.2 mm ST03NI	STEELWIRE CLAMPHOOK AUTO GRIP 1.2 mm STC01NI	STEELWIRE HOOK AUTO GRIP 1.2 mm STD01NI NICKEL	STEELWIRE HOOK AUTO GRIP 1.2 mm STD01BL BLACK			
	7807.010	7807.020	7807.030	7807.040	7807.050	7807.080	7807.070			



SHOWN COMBINATION:

A + B3
A + B1 + C3

POSSIBLE COMBINATIONS:

A + B1/B2 + C1/C2/C3/
C4/C5
A + B3

RAIL MOUNT XPO RAIL

A

A

		
XPO RAIL 200 cm BLACK	XPO RAIL 200 cm WHITE PRIMER	XPO RAIL 200 cm ALU BRUSHED
05.15201	05.15200	05.15202

A

						
END CAP XPO RAIL BLACK	END CAP XPO RAIL WHITE	CLIP CLICK&CONNECT XPO RAIL	PLUG (Ø 5 mm)	SCREW	FASTENER KIT XPO RAIL WHITE 200 CM	FASTENER KIT XPO RAIL BLACK/ALU 200 CM
05.15030	05.15020	05.15010	9.4929	9.4931	5092	5093

B

B1

B2

B3

		
STEELWIRE + SLIDER 1.2 mm 200 cm BLACK	STEELWIRE + SLIDER 1.2 mm 200 cm NICKEL	TWISTER HOOK
7807.200	7807.210	9.4510

C

C1

C2

C3


C4

C5

C6

C7

						
STEELWIRE HOOK AUTO GRIP 1.2 mm ST01BL	STEELWIRE HOOK AUTO GRIP 1.2 mm ST01NI	STEELWIRE HOOK AUTO GRIP 1.2 mm ST02NI	STEELWIRE HOOK AUTO GRIP 1.2 mm ST03NI	STEELWIRE CLAMHOOK AUTO GRIP 1.2 mm STC01NI	STEELWIRE HOOK AUTO GRIP 1.2 mm STD01NI NICKEL	STEELWIRE HOOK AUTO GRIP 1.2 mm STD01BL BLACK
7807.010	7807.020	7807.030	7807.040	7807.050	7807.080	7807.070



SHOWN COMBINATION:
A + B + C5

POSSIBLE COMBINATIONS:
A + B + C1/C2/C3/C4/C5

LOOP MOUNT LOOP HANGER

A

A

LOOP HANGER
1,0 - 1,5 mm

7805.052

B

B1

STEELWIRE 7 x 7
1,2 mm 10 m

7807.350

CABLE CUTTER

7807.900

B2

STEELWIRE BLACK 7 x 7
1,2 mm 3 m

7807.360

CABLE CUTTER

7807.900

C

C1

STEELWIRE HOOK
AUTO GRIP
1,2 mm ST01BL

7807.010

C2

STEELWIRE HOOK
AUTO GRIP
1,2 mm ST01NI

7807.020

C3

STEELWIRE HOOK
AUTO GRIP
1,2 mm ST02NI

7807.030

C4

STEELWIRE HOOK
AUTO GRIP
1,2 mm ST03NI

7807.040

C5

STEELWIRE
CLAMPHOOK AUTO GRIP
1,2 mm STC01NI

7807.050

C6

STEELWIRE HOOK
AUTO GRIP
1,2mm STD01NI NICKEL

7807.080

C7

STEELWIRE HOOK
AUTO GRIP
1,2mm STD01BL BLACK

7807.070

COMPLETE SET D

COMPLETE SET E

SET LOOP HANGER +
HOOK 200 cm

7840.300

SET LOOP HANGER +
LOOP 200 cm

7840.310

SIGN HANGING SYSTEMS

Artiteq has selected the Fischer UX 5x30 R plug to be used in combination with its hanging systems. The Fischer UX 5x30 R plug can be used in different kinds of materials, such as concrete, stone and plasterboard. Depending on the material, the plug can support a maximum load of 30 kg. The drill used with the plug must have a diameter of 5 mm. The plug is 30 mm in length. The screw used with the plug is 38 mm long and has a diameter of 3.5 mm (to be used in combination with a PZ2 bit).

Maximum load

To determine the maximum load of a signing hanging system, it must be known what type of mounting materials will be used and what surface (i.e. type of material) these will be attached to. The components of the signing hanging system all have a maximum bearing capacity. This is the maximum bearing capacity for the component itself and not the maximum bearing capacity that must be taken into account for the system as a whole. For the whole system, not only the load capacity of the mounting material, but also the load capacity of the material to which the mounting material is to be attached have to be taken into account.






For every signing hanging system, the weight that you wish to hang must be balanced against the maximum load capacity of the mounting material. If systems are hung from other hanging components, such as recessed ceilings, you have to know the maximum load of this hanging component before fitting our systems. The tables below show the maximum load capacity for the Fischer plug in combination with different materials and the maximum bearing capacity for each component for the different signing hanging systems.

TYPE			UX 5X 30
RECOMMENDED LOADS IN THE RESPECTIVE BASE MATERIAL F _{REC} ²⁾			
Concrete	≥ C20/25	[kN]	0,30
Solid brick	≥ Mz 12	[kN]	0,20
Perforated sand-lime brick	≥ KSL 12	[kN]	0,30
Vertically perforated brick	≥ Hlz 12	[kN]	0,20
Aerated concrete	≥ AAC 4	[kN]	0,15
Gypsum plasterboard	12,5 mm	[kN]	0,10
Gypsum plasterboard	25 mm	[kN]	0,10
Gypsum fibreboard	(Fermacell)	[kN]	0,20
Gypsum block	p ≥ 0,9 kg/dm³	[kN]	-

- 1 Required safety factors are considered.
- 2 Valid for tensile load, shear load and oblique load under any angle



ART. NR	DESCRIPTION	MAX. LOAD CAPACITY
7807.060	Suspension bracket Xpo Rail 1,2 mm	15 kg
7807.200	Steelwire + slider 1,2 mm 200 cm black	15 kg
7807.210	Steelwire + slider 1,2 mm 200 cm nickel	15 kg
7807.100	Ceiling bracket black C01BL	15 kg
7807.110	Ceiling bracket nickel C01NI	15 kg
7807.350	Spool steelwire 7x7 1,2 mm 10 m	15 kg
7805.052	Loop Hanger 1,0 mm - 1,5mm	10 kg
7807.120	Recessed ceiling clip 20 mm	5 kg
7807.130	Recessed ceiling clip 20 mm + hanger 1,2 mm	5 kg
7807.310	Steelwire + hook 1,2 mm 300 cm	15 kg
7807.010	Steelwire Hook auto grip 1,2 mm ST01BL	15 kg
7807.020	Steelwire Hook auto grip 1,2 mm ST01NI	15 kg
7807.030	Steelwire Hook auto grip 1,2 mm ST02NI	15 kg
7807.040	Steelwire Hook auto grip 1,2 mm ST03NI	15 kg
7807.400	Acoustic Spring 01-NI	5 kg
7807.050	Steelwire Hook auto grip 1,2 mm STC01NI	15 kg
7807.080	Steelwire Hook auto grip 1,2mm STD01NI nickel	15 kg
7807.070	Steelwire Hook auto grip 1,2mm STD01BL black	15 kg
7807.160	Ceiling bracket auto grip 1,2mm D01NI silver	15 kg
7807.150	Ceiling bracket auto grip 1,2mm D01BL black	15 kg



ARTITEQ
HERASTRAAT 39
5047 TX TILBURG
THE NETHERLANDS
T +31 (0)13 572 90 70
F +31 (0)13 572 90 75